



Westminster House, 49 Knowsley Street, Bury, Greater Manchester, BL9 0ST.
Tel: 0161-762-9108 Fax: 0161-272-0292
www.medical-specialists.co.uk

Dear Patient

Thank you for your order for EMLA Cream 5%. Please note that you were informed when you ordered this product, it is to be used for an off-label (unlicensed) use for the treatment of premature ejaculation (PE) due to its efficacy for this purpose.

How to use for EMLA for PE

- Men should apply the cream directly to the head/tip of the penis about 15 to 30 minutes before sexual activity.
- Wash both the penis and hands prior to application.
- Apply the cream and wait until it has absorbed into the skin.
- Any remaining cream left on the skin after the 15 to 20 minutes should be washed off before sexual activity.
- EMLA Cream is oil based and therefore may weaken latex condoms, increasing the risk of them splitting. This makes it imperative to take suitable steps to reduce the risk of pregnancy or STI transmission. The use of polyurethane condoms is advisable, as they will not be weakened by EMLA.

Side Effects

Like all medicines, this medicine may cause side effects, although not everybody gets them. Contact your doctor or pharmacist if any of the side effects listed in the Patient Information Leaflet bother you or do not seem to go away. Tell your doctor about anything else that makes you feel unwell while you are using EMLA Cream.

Kind regards

Medical Specialists

Medical Specialists Company Ltd
UK Company Registration Number: 2195835
GPhC Registration Number: 1104466
info@medical-specialists.co.uk